

List of All Chemicals

P Chimaphila umbellata (Ericaceae)

Common name(s)

King's Cure; Pipsissewa

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Part	Low PPM	High PPM	StdDev	*Reference
(-)-EPICATECHIN-GALLATE	Shoot	--	--	*	
Activities (2)					
Acetyl-CoA-Carboxylase-Inhibitor IC50=~300-325 uM					McKenna, D. J., Hughes, K., and Jones, K. 2000. Green Tea Monograph. Alternative Therapies, 6(3): 61-82.
Antimutagenic					Economic & Medicinal Plant Research, 6: 235.
2,7-DIMETHYL-1,4-NAPTHOQUINONE	Plant	--	2000.0		Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
ARbutin	Leaf	--	--	*	
Activities (15)					
Allelochemic IC51=1.1 mM					Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antibacterial MIC=4,000-8,000 ppm					
Antiedemic 50 mg/kg					
Antimelanogenic IC50=40 uM					
Antiseptic 60-200 mg/man					
Antistreptococcic MIC=4,000-8,000 ppm					Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.
Antitussive					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Artemicide					Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Candidicide					Pizzorno, J.E. and Murray, M.T. 1985. A Textbook of Natural Medicine. John Bastyr College Publications, Seattle, Washington (Looseleaf).
Diuretic 60-200 mg/man					Merck 11th Edition
Insulin-Sparing					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Mycoplasmistat					Mills, Simon and Bone, Kerry. 2000. Phytotherapy. Churchill Livingston, Edinburgh.
Pesticide					
Tyrosinase-Inhibitor IC50=40 uM					
Urinary-Antiseptic					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
ARbutin	Shoot	73000.0	76000.0	*	

Activities (15)

Allelochemical IC51=1.1 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antibacterial MIC=4,000-8,000 ppm	
Antiedemic 50 mg/kg	
Antimelanogenic IC50=40 uM	
Antiseptic 60-200 mg/man	
Antistreptococcic MIC=4,000-8,000 ppm	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antitussive	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Artemicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Candidicide	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Diuretic 60-200 mg/man	Merck 11th Edition
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Mycoplasmistat	Mills, Simon and Bone, Kerry. 2000. <i>Phytotherapy</i> . Churchill Livingston, Edinburgh.
Pesticide	
Tyrosinase-Inhibitor IC50=40 uM	
Urinary-Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

ARBUTIN

Plant	--	75000.0	0.24	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-------	----	---------	------	--

Activities (15)

Allelochemical IC51=1.1 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology, v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antibacterial MIC=4,000-8,000 ppm	
Antiedemic 50 mg/kg	
Antimelanogenic IC50=40 uM	
Antiseptic 60-200 mg/man	
Antistreptococcic MIC=4,000-8,000 ppm	Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. <i>Herbal Medicine - A Guide for Health-care Professionals</i> . The Pharmaceutical Press, London. 296pp.
Antitussive	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Artemicide	Keeler, R.F. and Tu, A.T. eds. 1991. <i>Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6)</i> Marcel Dekker, Inc. NY. 665 pp.
Candidicide	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Diuretic 60-200 mg/man	Merck 11th Edition
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Mycoplasmistat	Mills, Simon and Bone, Kerry. 2000. <i>Phytotherapy</i> . Churchill Livingston, Edinburgh.
Pesticide	
Tyrosinase-Inhibitor IC50=40 uM	
Urinary-Antiseptic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.

AVICULARIN

Plant	--	--		List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-------	----	----	--	--

Activities (7)

Aldose-Reductase-Inhibitor IC32=1 uM	Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. <i>Phytochemistry</i> , 23: 1885-1888.
Aldose-Reductase-Inhibitor IC84=10 uM	Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. <i>Phytochemistry</i> , 23: 1885-1888.
Antibiotic	CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Cyclooxygenase-Activator 100 uM	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Diuretic	CRC Handbook of Medicinal Herbs and/or CRC Handbook of Proximate Analyses
Pesticide	
Tissue-Thromboplastin-Inhibitor IC50=54.8 uM	

BETA-AMYRIN

Plant	2100.0	2125.0	1.0	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-------	--------	--------	-----	--

Activities (9)

Analgesic

Antiedemic IC₂₇=40 mg/kg ipr rat

Antiinflammatory

Antinociceptive

Antiulcer

Gastroprotective

Hepatoprotective

Larvicide

Mosquitocide

BETA-SITOSTEROL	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-----------------	-------	----	----	--

Activities (47)

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antiadenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antigonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antihyperlipoproteinemia	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomeric	
Antimutagenic 250 ug/ml	
Antiphidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostatadenomic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> . 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	
Pesticide	
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Ulcerogenic 500 mg/kg ipr rat	

CHIMAPHILIN	Plant	--	2000.0	List, P.H. and Horhammer, L., <i>Hager's Handbuch der Pharmazeutischen Praxis</i> , Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
-------------	-------	----	--------	--

Activities (4)

Allelochemical IC92=4 mM	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices & Medicinal Plants: Recent Advances in Botany, Horticulture, & Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antibacterial	
Pesticide	
Urinary-Antiseptic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.

Activities (12)

Anticariogenic	
Antihepatotoxic	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. Phenolic Compounds in Food and Their Effects on Health, Ch.7 p.93.
Antimutagenic	
Antioxidant >10 x tocopherol	Osawa, T. Phenolic Antioxidants in Dietary Plants as Antimutagens. Phenolic Compounds in Food and Their Effects on Health, Ch.11 p.142.
Antiperoxidant	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. Phenolic Compounds in Food and Their Effects on Health, Ch.7 p.93.
COMP-Inhibitor	Dullo, A. G., et al. 1999. Efficacy of a green tea extract rich in catechin polyphenols and caffeine in increasing 24-h energy expenditure and fat oxidation in humans. Am. J. Clinical Nutrition, 70: 1040-1045.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Glucosyl-Transferase-Inhibitor	
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. Green Tea Monograph. Alternative Therapies, 6(3): 61-82.
Lipoxygenase-Inhibitor IC50=18 uM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507. ACS, Washington 402 pp.
Mitogen	
Xanthine-Oxidase-Inhibitor IC50=>40	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. Chem. Pharm. Bull. 38(5): 1224-1229

GUM	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
HENTRIACONTANE	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
HOMOGENTISIC-ACID-GLUCOSIDE	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
HYPEROSIDE	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (30)

Aldose-Reductase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Analgesic	
Antiaging	
Antibacterial MIC=250-500 ug/ml	Planta Medica, 57: A43, 1991.
Anticancer	
Anticapillary-Fragility	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Antidermatitic	
Antielastase IC50=0.15 ug/ml	
Antiflu	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
Antihepatotoxic	Keeler, R.F. and Tu, A.T. eds. 1991. Toxicology of Plant and Fungal Compounds. (Handbook of Natural Toxins Vol. 6) Marcel Dekker, Inc. NY. 665 pp.
Antiinflammatory 1/4 indomethacin	Planta Medica, 57: A131, 1991.
Antiischemic	
Antinociceptive	
Antioxidant IC50=4.6 uM	
Antiradicular	
Antitussive	
Antiviral	
Antiwinkle	
Calcium-Antagonist	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Capillarifortificant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Capillarigenic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Cyclooxygenase-Activator 100 uM	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Diuretic	
Hepatoprotective IC80=30 ug/ml	Mayumi Ito (nee Someya), et al. 1990. Hepatoprotective Compounds from <i>Canarium album</i> and <i>Euphorbia nematocypha</i> . Chem. Pharm. Bull. 38(8): 2201-2203, 1990.
Hypotensive ivn dog	
Pesticide	
Tissue-Thromboplastin-Inhibitor IC50=20.8 uM	
Xanthine-Oxidase-Inhibitor	
cAMP-Inhibitor IC50=0.14 mg/ml	Schüssler, M., Fricke, U., Nikolov, N., and Holzl, J. 1991. Comparison of the Flavonoids Occurring in <i>Crataegus</i> species and Inhibition of 3',5'-Cyclic Adenosine Monophosphate Phosphodiesterase. Plant Medica 57: Suppl Issue 2. p.A-133.

ISOHOMOARBUTIN

ISOHOMOARBUTIN	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
KAEMPFEROL	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (75)

11B-HSD-Inhibitor	
5-Lipoxygenase-Inhibitor IC50 (uM)=20	
Aldose-Reductase-Inhibitor 100 uM	Oliveira, T. T., Nagem, T. J., Miranda, L. C. G., Paula, V. F., Teixeira, M. A. 1997. Inhibitory Action on Aldose Reductase by Soybean Flavonoids. <i>J Braz Chem Soc</i> , 8(3): 211-213.
Antiaflatoxin IC50=8.73 uM	
Antiaflatoxin IC50=3.28 ppm	
Antiaggregant 30 uM	
Antiallergic	
Antibacterial 20 ug/ml	
Anticancer	
Antifertility 250 mg/kg/day/60 days/orl rat	Kumar, P., Dixit*, V.P., and Khanna, P. Antifertility Studies of Kaempferol: Isolation and Identification from Tissue Culture of some Medicinally Important Plant Species. <i>Plantes medicinales et phytotherapie</i> , 23: 193-201, 1989.
Antigingivitic 20 ug/ml	
Antiherpetic 23-92 ug/ml	Amoros, M., Simoes, C.M.O., Girre, L., et al. Synergistic Effect Of Flavones And Flavonols Against Herpes Simplex Virus Type 1 In Cell Culture. Comparison With The Antiviral Activity Of Propolis. <i>J. of Natural Products</i> 55(12):1732-1740, 1992.
Antihistaminic	Williamson, E. M. and Evans, F. J. Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antiimplantation	
Antiinflammatory 20 mg/kg	
Antiinflammatory 200 mg/kg ipr rat	

Antileukemic IC50=3.1 ug/ml	Life Sciences 55: 1061.
Antilymphocytic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antimutagenic ID50=10-40 nM	Phenolic Compounds in Food and Their Effects on Health. Antioxidants & Cancer Prevention. Huang, M.T., Ho, C.T. and Lee, C.Y. eds. 1992. ACS Symposium Series 507.ACS, Washington 402 pp.
Antioxidant IC50=40 uM	
Antioxidant 3/4 quercetin	
Antioxidant IC50=1.2 ug/ml	
Antiperiodontic 20 ug/ml	
Antiplaque 20 ug/ml	
Antiradicular 7 x quercetin	
Antiseptic 20 ug/ml	
Antiserotonin 200 mg/kg ipr rat	
Antispasmodic	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, reprint 1989.
Antistaphylococcic	
Antitumor	
Antitumor-Promoter	Yasukawa, K., Takido, M., Takeuchi, M., Sato, Y., Nitta, K., and Nakagawa, S. 1989. Inhibitory Effects of Flavonol Glycosides on 12-O-Tetradecanoylphorbol-13-acetate-Induced Tumor Promotion. <i>Chem. Pharm. Bull.</i> 38(3): 774-776, 1990.
Antiulcer 50-200 mg/kg ipr rat	
Antiviral 23-92 ug/ml	
Apoptotic 60 uM	
Aromatase-Inhibitor IC12=1 uM/l	Journal of Medicinal Food 2: 235.1999.
COX-2-Inhibitor	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Carcinogenic	Hutchings, A, Scott, AH, Lewis, G, and Cunningham, A. 1996. Zulu Medicinal Plants. An inventory. University of Natal Press, Pietermaritzburg. 450 pp.
Choleretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Copper-Chelator	
Cyclooxygenase-Inhibitor IC50 (uM) =20	
Cytotoxic	
Diaphoretic?	Lawrence Review of Natural Products, Dec-90.
Diuretic	
Estrogenic EC50=0.1-25 uM/l	Journal of Medicinal Food 2: 227.1999.
Estrogenic EC50=0.56 uM	
Fungicide 20 ug/ml	Father Nature's Farmacy: The aggregate of all these three-letter citations.
HIV-RT-Inhibitor IC50=50-150 ug/ml	Garcia, J., Morin,* C., Nyasse, B., Sondengam, B-L., Tchouankeu, J-C., and Tsamo, E. Complete Structural Assignments Of An Ergosterol Derivative From Entandrophragma utile. <i>Journal of Natural Products</i> , 54(1): 136-142, 1991.
Hepatoprotective IC50=5.46 uM	
Hepatoprotective IC50=1.30 ppm	
Hypotensive	
ICAM-1-Inhibitor	
Inotropic	
Iodothyronine-Deiodinase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
JNK-Inhibitor	
Lipoxygenase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
MAO-Inhibitor	
Mutagenic	
NO-Inhibitor IC50=13.9 uM	
Natriuretic	
Neuroprotective	
PAF-Inhibitor	
Pesticide	
Protisticide	Meckes, M., Calzada, F., Tapia-Contreras, A., Cedillo-Rivera, R. 1999. Antiprotozoal Properties of <i>Helianthemum glomeratum</i> . <i>Phytotherapy Research</i> , 13(2): 102-105.
Quinone-Reductase-Inducer 3 uM	
TNF-alpha-Inhibitor IC50=3.99 uM	
Teratologic	
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. Phytoestrogens: Potential Endocrine Disruptors in Males. <i>Toxicol Ind Health</i> , 14: 223-237.
Topoisomerase-II-Inhibitor IC50=8.1 ug/ml	Constantinou, A., Mehta, R., Runyan, C., Rao, K., Vaughan, A., Moon, R. 1995. Flavonoids as DNA Topoisomerase Antagonists and Poisons: Structure-Activity Relationships. <i>J Natural Products</i> , 58: 217-225.

Tyrosinase-Inhibitor
ID₅₀=230 uM

Uterotrophic EC₅₀=0.1-25 uM/l Journal of Medicinal Food 2: 227.1999.

Vasodilator

cAMP-
Phosphodiesterase-
Inhibitor

iNOS-Inhibitor IC₅₀=<15 uM

iNOS-Inhibitor
IC₅₀=13.9 uM

METHYL-SALICYLATE	Plant	--	--	Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.
-------------------	-------	----	----	--

Activities (21)

Allergenic Martindale's 28th

Analgesic

Anaphrodisiac

Antiinflammatory *Planta Medica*, 56(6): 660, 1990.

Antioxidant

Antipyretic

Antiradicular O'Connell, M.J., Webster, N.R. 1989. Hyperoxia and salicylate metabolism in rats. *J. Pharm. Pharmacol.* 42: 205-206, 1990.

Antirheumatalgic Martindale's 28th

Antiseptic

Antitartrar

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Carminative

Counterirritant Merck 11th Edition

Dentifrice Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

FLavor FEMA 70-8,000 Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Fungicide

Herpetifuge

Insectifuge Hardie, J., Isaacs, R., Pickett,* J.A., Wadhams, L.J., and Woodcock, C.M. 1994. Methyl Salicylate and (--)-(1R,5S)-Myrtenal are Plant-Derived Repellents for Black Bean Aphid, *Aphis Fabae* Scop. (Homoptera: Aphididae). *J. of Chemical Ecology*, 20(11):2847.

Insectiphile

Perfumery Aloe Research Council - Duke writeup of non-peer reviewd book by Coats and draft by Henry

Pesticide

NONACOSANE	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
------------	-------	----	----	--

Activities (2)

Antimutagenic 250 ug/ml

Antiviral Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in *Artemisia annua*. *Plant Science*, 75: 161-165, 1991.

OLEANOLIC-ACID	Shoot	--	--	*
----------------	-------	----	----	---

Activities (64)

Abortifacient

AntiHIV IC₅₀=21.8 ug/ml

AntiHIV EC₅₀=1.7 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiPGE2 IC₅₀=24 uM

AntiTGF-beta IC₅₀=19-24 uM

Antiallergic

Antiarrhythmic 40 mg/kg

Antiatherosclerotic

Antibacterial MIC=625-1,250 ug/ml

Anticarcinomic Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Anticomplement IC₄₀-50 0.01 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC₈₀-90 0.05 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antiedemic IC₃₆=40 mg/kg ipr rat

Antifertility	
Ant gingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.* and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperoxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmodial IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	
Immunomodulator	
Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. <i>The Wealth of India raw materials</i> . Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor igs mus	
Sedative	
Uterotonic	
Vasopressor	

RESIN	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
SALICYLIC-ACID-METHYL-ESTER	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
STARCH	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Activities (5)				
Absorbent	Martindale's 29th			
Antidote (Iodine)	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Antinesidioblastosic	Martindale's 29th			
Emollient	Martindale's 29th			
Poultice	Martindale's 29th			
SUGAR	Plant	--	--	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
TANNIN	Plant	--	40000.0 -0.64	List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
Activities (35)				
Anthelmintic				
AntiHIV				
Antibacterial				
Anticancer				
Anticariogenic				
Antidiarrheic				
Antidisenteric				
Antihepatotoxic				
Antihypertensive				
Antilipolytic				
Antimutagenic				
Antinephritic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiophidic	Economic & Medicinal Plant Research, 5: 363.			
Antioxidant IC50=1.44 ug/ml				
Antioxidant 1/3 quercetin				
Antiradicular 500 mg/kg/day orl mus	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiradicular 1/3 quercetin				
Antirenitic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antitumor				
Antitumor-Promoter				
Antiulcer				
Antiviral				
Cancer-Preventive	HerbalGram No. 22 - Spring 1990, page 14.			
Carcinogenic				
Chelator				
Cyclooxygenase-Inhibitor				
Glucosyl-Transferase-Inhibitor				
Hepatoprotective				
Immunosuppressant				
Lipoxygenase-Inhibitor				
MAO-Inhibitor				
Ornithine-Decarboxylase-Inhibitor				
Pesticide				
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Xanthine-Oxidase-Inhibitor				

TARAXASTEROL

Plant -- --

List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (2)

Antiedemic

Antiinflammatory 1/2 indomethacin

TARAXEROL

Shoot -- -- *

Activities (2)

Antisecretory Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

Antiulcer Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.

TOLUQUINOL

Plant -- -- Leung, A.Y., Encyclopedia of Common Natural Ingredients Used in Food, Drugs, and Cosmetics, John Wiley & Sons, New York, 1980.

URSOLIC-ACID

Plant -- -- List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.

Activities (89)

Analgesic

AntiEBV Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

AntiHIV EC50=2.0 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.AntiHIV IC50=6.5 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC85=18 ug/ml

AntiHIV 6.7 uM

AntiTGF-beta IC50=6-7.5 uM

Antialzheimeran Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Antiarrhythmic

Planta Medica, 57: A56, 1991.

Antiarthritic

Antibacterial Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.Anticancer Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.Anticarcinomic Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Anticholestatic 28-100 mg/kg orl Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.

Anticomplement IC100 0.1 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC80-90 0.05 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antidiabetic

Chemical Constituents of Oriental Herbs (3 diff. books)

Antiedemic

Antiescherichic

Antifibrosarcomic
IC80=10 uMAntihepatotoxic 5-20 mg/kg ipr Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.Antihistaminic Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of *Melaleuca leucadendron*: Inhibitors of Induced Histamine Release from Rat Mast Cells. *Chem. Pharm. Bull.* 39(12): 3276-3278, 1991.

Antihyperlipidemic

Antiinflammatory 1/3 indomethacin

Antiinflammatory IC24=500 mg/kg

Antileishmanic ED50=20 uM

Antileukemic IC50=2.5-17.8 ug/ml

Antilymphominc Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Antimalarial IC50=28-37 ug/ml

Antimetastatic IC80=10 uM

Antimutagenic IC57-80=80 mg/kg

Antinephritic IC50=6-7.5 uM

Antiobesity? Internat. J. Oriental Med. 16: 4.

Antioxidant IC50=10 uM	
Antiperoxidant IC35=200 ug/ml	
Antiplasmodial IC50=28-37 ug/ml	
Antiproliferative IC50=15-20 uM	
Antistaphylococcic	
Antithromboxane IC50=50 uM	
Antitrypanosomic	
Antitumor	Cancer Research, 54: 701, 1994.
Antitumor (Breast) 0.5% diet	
Antitumor (Breast) IC50=15-20 uM	
Antitumor (Cervix)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	Planta Medica, 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	
Cytotoxic ED50=3.75 ug/ml	
Cytotoxic 7.2 uM	
Diuretic	
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective 1-100 ug/ml	
Hepatoprotective 10 mg/kg	
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypotensive	
Immunomodulator	
Leucocytogenic	
Lipoxygenase-Inhibitor IC50=0.18 mM	
MMP-9-Inhibitor IC80=10 uM	
Ornithine-Decarboxylase-Inhibitor	
Pesticide	
Piscicide	
Potassium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
Protease-Inhibitor IC85=18 ug/ml	
Protisticide	Chemical Express, 7: 285, 1992.
Quinone-Reductase-Inducer 5 ug/ml	Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G. J., Steele, V. E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chemopreventive Agents. <i>Anticancer Res.</i> , 19: 35-44.
Sodium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
TOPO-2-Inhibitor	
Trypanocide	
Vasopressor	

Activities (89)

Analgesic

AntiEBV

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. *Herbal Medicine - A Guide for Health-care Professionals*. The Pharmaceutical Press, London. 296pp.

AntiHIV EC50=2.0 ug/ml

Kashiwada, Y., et. al. 1998. *Anti-AIDS Agents*. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

Kashiwada, Y., et. al. 1998. *Anti-AIDS Agents*. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC85=18 ug/ml

AntiHIV 6.7 uM

AntiTGF-beta IC50=6-7.5 uM

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Antialzheimeran

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Antiarrhythmic

Planta Medica, 57: A56, 1991.

Antiarthritic

Antibacterial

Anticancer Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Anticancer (Colon)

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Anticarcinomic

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic

Leung, A. Y. and Foster, S. 1995. *Encyclopedia of Common Natural Ingredients* 2nd Ed. John Wiley & Sons, New York. 649 pp.

Anticholestatic 28-100 mg/kg orl

Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.

Anticomplement IC100 0.1 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. *Hager's Handbuch der Pharmazeutischen Praxis*, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC80-90 0.05 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. *Hager's Handbuch der Pharmazeutischen Praxis*, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antidiabetic

Chemical Constituents of Oriental Herbs (3 diff. books)

Antiedemic

Antiescherichic

Antifibrosarcomic IC80=10 uM

Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.

Antihistaminic

Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of *Melaleuca leucadendron*: Inhibitors of Induced Histamine Release from Rat Mast Cells. *Chem. Pharm. Bull.* 39(12): 3276-3278, 1991.

Antihyperlipidemic

Antiinflammatory 1/3 indomethacin

Antiinflammatory IC24=500 mg/kg

Antileishmanic ED50=20 uM

Antileukemic IC50=2.5-17.8 ug/ml

Antilymphomic Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. *Herbal Medicine - A Guide for Health-care Professionals*. The Pharmaceutical Press, London. 296pp.

Antimalarial IC50=28-37 ug/ml

Antimetastatic IC80=10 uM

Antimutagenic IC57-80=80 mg/kg

Antinephritic IC50=6-7.5 uM

Antiobesity? Internat. J. Oriental Med. 16: 4.

Antioxidant IC50=10 uM

Antiperioxidant IC35=200 ug/ml

Antiplasmoidal IC50=28-37 ug/ml

Antiproliferative IC50=15-20 uM

Antistaphylococcic

Antithromboxane IC50=50 uM

Antitrypanosomic

Antitumor Cancer Research, 54: 701, 1994.

Antitumor (Breast) 0.5% diet

Antitumor (Breast) IC50=15-20 uM

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Antitumor (Colon)

Antitumor (Lung)

Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	Planta Medica, 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Simal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Simal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	
Cytotoxic ED50=3.75 ug/ml	
Cytotoxic 7.2 uM	
Diuretic	
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective 1-100 ug/ml	
Hepatoprotective 10 mg/kg	
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypotensive	
Immunomodulator	
Leucocytogenic	
Lipoxygenase-Inhibitor IC50=0.18 mM	
MMP-9-Inhibitor IC80=10 uM	
Ornithine-Decarboxylase-Inhibitor	
Pesticide	
Piscicide	
Potassium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
Protease-Inhibitor IC85=18 ug/ml	
Protisticide	Chemical Express, 7: 285, 1992.
Quinone-Reductase-Inducer 5 ug/ml	Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G. J., Steele, V. E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chemopreventive Agents. <i>Anticancer Res.</i> , 19: 35-44.
Sodium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
TOPO-2-Inhibitor	
Trypanocide	
Vasopressor	